



From the very beginning, we have believed that honest work, responsibility, and a fair approach form the foundation of every sustainable and successful company. It is not only about technology and machinery, it is about people, about trust built over years, and about the commitment to keep one's word, even when it is not easy.

Our company was founded at a time when many things were still taking shape. Since then, the world has changed, but one principle remains, the need for a reliable partner you can depend on. We continuously seek ways to improve, not only in what we deliver, but also in the direction in which we are heading.

We believe that technology is a means, not an end. The true strength of a company lies not only in what it can do today, but in how well it prepares for tomorrow.

Thank you for your trust. We look forward to taking the next steps together.

Milan Hanyš




CRANES

Cranes with lifting capacities from 30 to 800 tons.

On the following pages, you will find an overview of our fleet. We offer cranes with lower lifting capacities suitable for standard lifting operations as well as heavy-duty equipment designed for the most demanding handling tasks. With a fleet of more than 130 cranes, we have the capacity to respond flexibly to a wide range of projects and specific operational conditions.

LIEBHERR LTM 1030-2.1



Max. capacity:
35 t



Max. radius:
40 m



Max. hoist height:
44 m




Axle:
2



Fleet units:
31

LIEBHERR LTR 1060



Max. capacity:
60 t



Max. radius:
50 m



Max. hoist height:
55 m




Axle:
0



Fleet units:
2


LIEBHERR LTM 1120-4.1



Max. capacity:
120 t



Max. radius:
64 m



Max. hoist height:
91 m




Axle:
4



Fleet units:
20

LIEBHERR MK 140



Max. capacity:
8 t



Max. radius:
65 m



Max. hoist height:
94,4 m




Axle:
5



Fleet units:
1

LIEBHERR LTM 1200-5.1



Max. capacity:
200 t



Max. radius:
80 m



Max. hoist height:
101 m




Axle:
5



Fleet units:
3

LIEBHERR LTR 1220



Max. capacity:
220 t



Max. radius:
76 m



Max. hoist height:
80 m




Axle:
0



Fleet units:
1

LIEBHERR LTM 1230-5.1



Max. capacity:
230 t



Max. radius:
82 m



Max. hoist height:
95 m




Axle:
5



Fleet units:
2

LIEBHERR LTM 1300-6.3



Max. capacity:
300 t



Max. radius:
108 m



Max. hoist height:
84 m




Axle:
6



Fleet units:
1

LIEBHERR LTM 1350-6.1



Max. capacity:
350 t



Max. radius:
66 m



Max. hoist height:
70 m




Axle:
6



Fleet units:
1

LIEBHERR LTM 1800



Max. capacity:
800 t



Max. radius:
126 m



Max. hoist height:
148 m




Axle:
8



Fleet units:
1

LIEBHERR LG 1550



Max. capacity:
550 t



Max. radius:
108 m



Max. hoist height:
151 m




Axle:
8



Fleet units:
1

LIEBHERR LR 1750



Max. capacity:
750 t



Max. radius:
136 m



Max. hoist height:
192 m



Axle:
0



Fleet units:
2


TRANSPORT

On the following pages, you will find an overview of our transport equipment, ranging from standard truck combinations to specialized trailers and modular platforms for heavy haulage. With more than 60 transport units in our fleet, we are fully equipped to handle even the most demanding transportation projects under a wide range of operational conditions.



MB ACTROS

PALFINGER PK 19001 SLD 5D



Max. capacity:
13,0 t



Loading area:
6,50 x 2,48 x 1,32



Overall length:
10,2 m




Loading area:
6,50 x 2,48 x 1,32



Flatbed truck with
hydraulic crane

VOLVO FMX 540 8x4



Max. capacity:
19,10 t




Loading area:
6,42 x 2,55 x 1,30



Overall length:
14,75 m




Loading area:
6,42 x 2,55 x 1,30



Ballast
flatbed

VOLVO FH16 780

PALFINGER PK 78002 SH F + FLY-JIB PJ125 E



Max. capacity:
41 t




Loading area:
4,50 x 2,45 x 1,55



Overall length:
9,50 - 25,50 m




Loading area:
19,6 x 2,45 x 1,55



Truck unit with
hydraulic crane

KÖGEL S24-1



Max. capacity:
33,4 t




Loading area:
13,60 x 2,48 x 1,20



Overall length:
16,5 m




Loading area:
13,60 x 2,48 x 1,20



Flatbed


FAYMONVILLE TELEMATX N4L-AX



Max. capacity:
44 t




Loading area:
13,50 x 2,55 x 1,00



Overall length:
16,5 m




Loading area:
21,40 x 2,55 x 1,00



1x telescopic
low-deck flatbed

MAX TRAILER MAX210 1AAF



Max. capacity:
37 t



Loading area:
13,6 x 2,55 x 1,40



Overall length:
16,85 m




Loading area:
29 x 2,55 x 1,40



2x telescopic
flatbed

MEUSBURGER MPS-4 A



Max. capacity:
44,9 t




Loading area:
13,40 x 2,55 x 1,00



Overall length:
16,5 m




Loading area:
20,90 x 2,55 x 1,00



1x telescopic
low-deck flatbed

GOLDHOFER STZ-L4 A



Max. capacity:
43,25 t



Loading area:
8,70 x 2,55 x 0,90



Overall length:
16,5 m




Loading area:
14,40 x 2,55 x 0,90



1x telescopic low
loader

FAYMONVILLE MULTI Z-5L-A



Max. capacity:
50,9 t



Loading area:
9,20 x 2,55 x 0,90



Overall length:
16,5 m




Loading area:
15,80 x 2,55 x 0,90



1x telescopic low
loader

FAYMONVILLE MULTI Z-5L-AA



Max. capacity:
50,9 t




Loading area:
9,40 x 2,55 x 0,92



Overall length:
16,50 - 30,0 m




Loading area:
22,90 x 2,55 x 0,92



2x telescopic low
loader

FAYMONVILLE MULTI Z-6H-W-AA



Max. capacity:
67,9 t




Loading area:
11,50 x 2,85 x 0,90



Overall length:
20,25 m




Loading area:
27,40 x 3,25 x 0,90



2x telescopic low
loader

Goldhofer MPA7 AA



Max. capacity:
80,85 t




Loading area:
12,50 x 2,75 x 0,90



Overall length:
21,15 m




Loading area:
29,05 x 2,75 x 0,90



2x telescopic low
loader

GOLDHOFER MPA8 AA



Max. capacity:
90,6 t



Loading area:
14,10 x 2,75 x 0,90



Overall length:
22,8 m




Loading area:
35,45 x 2,75 x 0,90



2x telescopic low
loader

FAYMONVILLE MEGA Z-2H-V-KBX-A



Max. capacity:
24,8 t




Loading area:
6,85 x 2,55 x 0,375



Overall length:
16,85 m




Loading area:
15,55 x 3,0 x 0,375



1x telescopic
low-bed trailer

FAYMONVILLE MEGA Z-4L+1L-V-KBX-A




Max. capacity:
46 t




Loading area:
8,00 x 2,55 x 0,35



Overall length:
24,0 - 33,0 m




Loading area:
17,00 x 3,00 x 0,35



1x telescopic
low-bed trailer


FAYMONVILLE CARGO NZ-6H




Max. capacity:
61,27 t




Loading area:
15,00 x 2,55 x 1,60



Overall length:
18,79 m




Loading area:
15,00 x 2,55 x 1,60



Ballast
flatbed

GOLDHOFER SPZ-L6



Max. capacity:
67,8 t




Loading area:
15,60 x 2,55 x 1,60



Overall length:
20,4 m




Loading area:
15,60 x 2,55 x 1,60



Ballast
flatbed


DOLL D2S-0 + N4S-0



Max. capacity:
62,3 t




Loading area:
8,45 x 2,40 x 1,50



Overall length:
18,4 m




Loading area:
50,00 x 2,40 x 1,60



Timber transport
combination

NTB D.3. + A.5



Max. capacity:
98,9 t




Loading area:
10,00 x 2,55 x 1,60



Overall length:
22,0 m




Loading area:
65,00 x 2,55 x 1,60



Timber transport
combination

GOLDHOFER THP



Max. capacity:
6,1t / axel




Loading area:
3,0 x 3,0 x 1,175



Délka soupravy:
16,5 x 4,5 x 0,35



Overall length:
65,0 x 3,0 x 1,187



Heavy modular
units

CONTACTS

On the following page, you will find an overview of contact details for our headquarters and 32 branches. Through this extensive network, we are always close at hand and ready to assist, whether it concerns crane operations, transport services, or professional consultation.



HEADQUARTERS

CRANES

Phone: +420 722 951 324
jeraby@hanys.cz

TRANSPORT

Phone: +420 777 219 906
preprava@hanys.cz

HOTLINE

Nonstop
Phone: +420 722 951 324
info@hanys.cz

Hanyš - Jeřábnické práce, s.r.o.
Počernická 425
250 73 Radonice



BRANCHES

Praha - západ	prahazapad@hanys.cz	Praha - západ	+420 722 938 553
Bratislava	bratislava@hanys.cz	Bratislava	+420 777 118 318
Brno	brno@hanys.cz	Brno	+420 777 118 318
Česká Lípa	lipa@hanys.cz	Česká Lípa	+420 775 558 058
České Budějovice	budejovice@hanys.cz	České Budějovice	+420 725 964 327
Dukovany	dukovany@hanys.cz	Dukovany	+420 728 526 233
Hodonín	hodonin@hanys.cz	Hodonín	+420 722 976 912
Hradec Králové	hradec@hanys.cz	Hradec Králové	+420 777 253 723
Chomutov	chomutov@hanys.cz	Chomutov	+420 702 267 690
Jihlava	jihlava@hanys.cz	Jihlava	+420 728 526 233
Karlovy Vary	vary@hanys.cz	Karlovy Vary	+420 720 937 784
Kladno	kladno@hanys.cz	Kladno	+420 722 938 553
Kolín	kolin@hanys.cz	Kolín	+420 720 869 687
Kralupy n. V.	kralupy@hanys.cz	Kralupy n. V.	+420 720 073 153
Liberec	liberec@hanys.cz	Liberec	+420 775 558 058
Litvínov	litvinov@hanys.cz	Litvínov	+420 702 267 690
Lovosice	lovosice@hanys.cz	Lovosice	+420 702 215 301
Mělník	melnik@hanys.cz	Mělník	+420 720 073 153
Olomouc	olomouc@hanys.cz	Olomouc	+420 702 277 822
Ostrava	ostrava@hanys.cz	Ostrava	+420 777 030 910
Pardubice	pardubice@hanys.cz	Pardubice	+420 722 976 970
Písek	pisek@hanys.cz	Písek	+420 725 964 327
Plzeň	plzen@hanys.cz	Plzeň	+420 777 125 727
Prerov	prerov@hanys.cz	Prerov	+420 722 976 912
Svitavy	svitavy@hanys.cz	Svitavy	+420 702 277 822
Štětí	steti@hanys.cz	Štětí	+420 720 073 153
Tábor	tabor@hanys.cz	Tábor	+420 601 697 676
Temelín	temelin@hanys.cz	Temelín	+420 725 964 327
Trinec	trinec@hanys.cz	Trinec	+420 777 246 396
Ústí n. L.	usti@hanys.cz	Ústí n. L.	+420 702 215 301
Zlín	zlin@hanys.cz	Zlín	+420 722 976 912
Ždírec n. Doubravou	zdirec@hanys.cz	Ždírec n. Doubravou	+420 728 526 233

